

Cert.	CARATS	COLOR	CLARITY	PRO/CUT	FIN/POL	SYMMETRY	FLU	TABLE	CROWN	PAVILION	Dia.Min	Dia.Max	Height	Ask%	Asking	Rap
241223																
ROUNDS (5.00 - 5.99)																
GIA	5.020 K	SI2	VG	EX	EX	EX	NON	57	15	0	10.88	0.91-	6.82	-50.00	7,500.00	15000
	5.730 N	VVS						0	0	0					5,100.00	
	5.100 Q	VS2						0	0	0					4,450.00	
ROUNDS (4.00 - 4.99)																
HRD	4.200 E	VVS1	EX	EX	EX	EX	NIL	60.5	12.5	44	10.59	10.62	6.26	-50.00	29,250.00	58500
HRD	4.280 G	IF	EX	EX	EX	EX	NIL	62	13	44	10.52	0.58-	6.31	-50.00	23,250.00	46500
HRD	4.020 L	VVS1	VG	EX	EX	EX	SLI	53	0	0	10.28	0.30-	6.25	-53.39	6,525.00	13999
	4.170 S	VS2						0	0	0					3,200.00	
ROUNDS (3.00 - 3.99)																
GIA	3.200 E	VS1	EX	EX	EX	EX	NON	62	12.5	0	9.66-	.72-5	5.68	-40.00	19,200.00	32000
HRD	3.040 G	VVS2	VG	VG	VG	VG	NIL	53	13.5	41.5	9.51	9.64	5.59	-60.00	11,200.00	28000
HRD	3.700 G	VS2	EX	EX	EX	EX	MED	58	15.5	43	9.86	9.91	6.13	-50.00	10,500.00	21000
IGI	3.700 G	VS2	EX	EX	EX	EX	SLI	57.5	15.5	43	9.86-	.91-6	6.14	-50.00	10,500.00	21000
HRD	3.010 I	VVS2	VG	EX	EX	EX	NIL	63	12.5	44.5	9.48	9.50	5.59	-60.00	7,600.00	19000
HRD	3.010 J	IF	EX	EX	EX	EX	NIL	55	15.5	0	9.29-	.32-5	5.72	-54.00	8,050.00	17500
GIA	3.530 J	VVS1	EX	EX	EX	EX	NON	62	0	0	9.85-	.87-5	5.95	-40.00	9,900.00	16500
HRD	3.150 L	VVS1	EX	EX	EX	EX	NIL	62	12.5	0	9.51-	.51-5	5.71	-40.05	6,655.00	11101
	3.040 N	VVS						0	0	0					3,000.00	
	3.030 Q	VVS2						0	0	0					3,000.00	
	3.820 Z	VVS						0	0	0					4,000.00	
ROUNDS (2.00 - 2.99)																
GIA	2.010 D	VS1	VG	EX	VG	F	62	12.5	45	8.03	8.09	4.97		-45.00	11,275.00	20500
GIA	2.190 E	VVS1	EX	EX	EX	NIL	58	13	43.5	8.40-	.42-5	5.07		-40.00	14,700.00	24500
GIA	2.220 E	VVS2	EX	EX	EX	STR	59	14	43.5	8.40-	.43-5	5.14		-42.86	12,000.00	21001
HRD	2.050 F	VVS1	VG	EX	EX	NIL	63	11	0	8.34-	.40-4	4.94		-60.00	8,800.00	22000
IGI	2.070 G	IF	EX	EX	EX	VSL	58.5	14	44.5	8.12	8.20	5.08		-60.00	8,200.00	20500
GIA	2.010 G	VVS1	VG	EX	VG	NON	59	0	0	7.96-	.00-4	4.92		-45.00	10,175.00	18500
IGI	2.010 H	VVS1	EX	EX	EX	VSL	55	15	0	8.07-	.12-5	5.02		-60.00	6,000.00	15000
IGI	2.040 H	VVS2	VG	EX	VG	VSL	63	0	0	8.40-	.46-4	4.87		-60.00	5,400.00	13500
IGI	2.010 H	VVS2	EX	EX	VG	NON	57.5	15.5	44.5	7.99-	.08-5	5.09		-60.00	5,400.00	13500
GIA	2.200 H	VS2	EX	EX	EX	NON	56	15	0	8.32-	.33-5	5.22		-40.00	6,900.00	11500
IGI	2.070 I	IF	VG	VG	VG	SLI	64	10.5	0	8.36-	.39-4	4.94		-65.00	4,725.00	13500
HRD	2.010 I	VVS1	VG	VG	VG	NIL	57	15.5	44.5	7.99	8.06	5.09		-55.00	5,400.00	12000
HRD	2.010 I	VVS1	EX	EX	EX	NIL	56	15	43.5	8.07	8.10	5.01		-60.00	4,800.00	12000
GIA	2.070 J	VVS1	VG	VG	VG	STR	64	10.5	44.5	8.36-	.38-4	4.93		-60.00	3,960.00	9900
IGI	2.040 K	IF	EX	EX	VG	NON	61.5	12.5	43.5	8.36	8.43	4.88		-60.00	3,640.00	9100
HRD	2.130 K	VVS2	EX	EX	EX	NIL	61	13.5	0	8.31-	.33-5	5.04		-40.00	4,560.00	7600
HRD	2.000 L	IF	VG	EX	VG	NIL	64	0	0	8.09-	.15-4	4.85		-65.00	2,730.00	7800
ROUNDS (1.50 - 1.99)																
HRD	1.510 D	VVS1	VG	VG	VG	MED	59	15.5	44.5	7.33	7.38	4.59		-60.00	7,480.00	18700
IGI	1.500 E	VVS1	EX	EX	VG	SLI	61.5	12.5	43.5	7.31-	.36-4	4.49		-65.00	6,055.00	17300
IGI	1.610 F	IF	EX	EX	EX	SLI	62.5	12	0	7.63-	.65-4	4.55		-65.00	5,740.00	16400
IGI	1.530 F	IF	VG	VG	VG	SLI	64	12.5	43.5	7.55	7.64	4.41		-65.00	5,740.00	16400
HRD	1.520 F	IF	VG	VG	VG	NIL	62	14.5	42.5	7.40-	.49-4	4.43		-60.00	6,560.00	16400
GIA	1.510 F	IF	EX	EX	EX	NON	62	12	0	7.51-	.54-4	4.45		-42.00	9,512.00	16400
GIA	1.510 G	IF	EX	EX	EX	NON	60	0	0	7.58-	.61-4	4.41		-43.50	7,684.00	13600
GIA	1.520 G	VVS1	EX	EX	EX	NON	60	12.5	0	7.57-	.59-4	4.44		-40.00	7,560.00	12600
HRD	1.550 H	IF	EX	VG	EX	NIL	56	15	43	7.45	7.48	4.57		-55.00	4,950.00	11000
GIA	1.610 H	VVS1	VG	EX	VG	NON	61	0	0	7.54-	.56-4	4.63		-50.00	5,100.00	10200
GIA	1.520 H	VVS1	EX	EX	EX	NON	60	0	0	7.44-	.47-4	4.53		-40.00	6,120.00	10200
IGI	1.520 H	VVS1	EX	EX	VG	NON	58	0	0	7.27-	.40-4	4.56		-60.00	4,080.00	10200
HRD	1.880 H	VVS2	VG	VG	VG	NIL	63	13.5	44	7.98-	.02-4	4.83		-45.00	5,115.00	9300
IGI	1.720 H	VS2	VG	VG	VG	VSL	0	0	0	7.83-	.86-4	4.63		-45.00	4,180.00	7600
HRD	1.840 I	VVS1	VG	VG	VG	SLI	65	11.5	44	8.03-	.04-4	4.72		-50.00	4,200.00	8400
HRD	1.640 I	VVS1	EX	VG	EX	NIL	61	12	43.5	7.77	7.78	4.56		-60.00	3,360.00	8400
IGI	1.510 I	VVS2	VG	EX	VG	VSL	61	15	43.5	7.20	7.15	4.57		-60.00	3,040.00	7600
GIA	1.500 I	SI2	EX	EX	EX	NON	58	0	0	7.25-	.30-4	4.55		-41.00	3,245.00	5500
HRD	1.590 J	IF	EX	EX	EX	NIL	56	0	0	7.42-	.44-4	4.66		-54.00	3,496.00	7600
HRD	1.560 M	IF	VG	VG	VG	NIL	57	15	0	7.44-	.46-4	4.56		-50.00	2,450.00	4900
ROUNDS (1.00 - 1.49)																
GIA	1.140 D	IF	EX	EX	EX	NON	62	12.5	0	6.87-	.89-4	4.03		-40.00	9,600.00	16000
HRD	1.010 D	IF	FA	VG	G	NIL	67	13.5	45	6.34-	.45-3	3.97		-60.00	6,400.00	16000
HRD	1.000 D	IF	G	VG	VG	NIL	67	10	45.5	6.52	6.601	3.85		-60.00	6,400.00	16000
GIA	1.080 D	VVS1	EX	EX	EX	NON	61	0	0	6.67-	.69-4	6.9-4		-40.00	7,680.00	12800
HRD	1.020 D	VVS1	VG	EX	VG	NIL	64	11	44	6.62-	.66-3	3.86		-55.00	5,760.00	12800
HRD	1.000 D	VVS2	FA	EX	VG	NIL	59	15.5	48	6.04-	.11-4	4.23		-60.00	4,320.00	10800
GIA	1.000 D	VVS2	EX	EX	EX	FAI	59	13.5	0	6.35-	.38-3	3.99		-50.00	5,400.00	10800
GIA	1.020 D	VS1	EX	VG	VG	NON	61	0	0	6.59-	.62-3	3.88		-55.00	4,320.00	9600
GIA	1.340 D	VS2	EX	EX	EX	NON	61	13	44	7.18-	.21-4	4.31		-35.00	5,200.00	8000
GIA	1.060 D	VS2	EX	EX	EX	NON	62	12.5	43	6.68-	.69-3	3.93		-40.00	4,800.00	8000
GIA	1.070 E	IF	EX	EX	EX	NON	58	15	0	6.59-	.61-4	4.06		-45.00	6,875.00	12500
IGI	1.060 E	IF	EX	EX	EX	VSL	61	13	44	6.59-	.61-4	4.00		-55.00	5,625.00	12500
HRD	1.010 E	IF	EX	VG	VG	NIL	59	0	0	6.46-	.51-3	3.97		-55.00	5,625.00	12500
IGI	1.000 E	IF	VG	VG	G	NON	60.5	12	0	6.44-	.59-3	3.94		-60.00	5,000.00	12500
IGI	1.160 E	VVS2	VG	VG	VG	VSL	64.5	13.5	0	6.71-	.80-4	4.08		-50.00	4,900.00	9800
HRD	1.020 E	VVS2	EX	EX	VG	NIL	58	0	0	6.41-	.45-4	4.05		-50.00	4,900.00	9800
IGI	1.000 E	VVS2	VG	VG	G	NON	61	11.5	44.5	6.46	6.64	3.87		-65.00	3,430.00	9800
GIA	1.100 E	VS1	EX	EX	EX	NON	60	14	0	6.61-	.64-4	4.07		-35.86	5,580.00	8700
GIA	1.010 E	VS1	EX	VG	EX	NON	60	0	0	6.44-	.47-3	3.96		-37.41	5,445.00	8699
IGI	1.010 F	VVS1	VG	EX	EX	NON	0	0	0	6.51-	.56-3	3.93		-60.00	4,000.00	10000
GIA	1.010 F	VVS2	FA	G	G	STR	58	0	0	6.06-	.11-4	4.08		-65.00	3,115.00	8900
IGI	1.000 F	VVS2	VG	EX	VG	SLI	0	0	0	6.55-	.66-3	3.76		-60.00	3,560.00	8900
IGI	1.000 F															

HRD	1.110	I	IF	EX	EX	EX	NIL	59	13.5	0	6.74-	.75-4	4.06	-60.00	2,320.00	5800
HRD	1.100	I	IF	VG	EX	VG	NIL	64	0	0	6.69-	.76-3	3.99	-60.00	2,320.00	5800
HRD	1.050	I	SI1	VG	EX	VG	NIL	63	0	0	6.77-	.79-3	3.81	-50.00	2,100.00	4200
HRD	1.210	J	VVS1	VG	VG	VG	NIL	60	0	0	6.93-	.01-4	4.18	-52.00	2,160.00	4500
HRD	1.010	J	VVS1	EX	VG	VG	NIL	0	0	0	6.45-	.50-3	3.95	-52.00	2,160.00	4500
IGI	1.010	J	VVS1	VG	VG	G	SLI	0	0	0	6.42-	.50	6.50	-60.00	1,800.00	4500
HRD	1.330	K	VVS1	VG	VG	VG	SLI	61	0	0	7.17-	.22-4	4.28	-45.00	2,035.00	3700
GIA	1.340	L	VVS2	EX	EX	EX	NON	60	0	0	7.17-	.22-4	4.30	-40.00	1,800.00	3000
HRD	1.120	L	VS1	VG	VG	EX	NIL	64	11	43.5	6.87-	.90-3	3.95	-40.00	1,680.00	2800
IGI	1.170	M	SI1	VG	EX	EX	NON	0	0	0	6.98-	.02	7.02	-43.18	1,250.00	2200
ROUNDS (0.90 - 0.99)																
GIA	0.930	E	IF	EX	EX	EX	NIL	55	0	0	6.23-	.25-3	3.92	-40.00	5,700.00	9500
GIA	0.900	F	VVS1	EX	EX	EX	FAI	56	0	0	6.11-	.15-3	3.86	-45.00	4,400.00	8000
GIA	0.930	H	VVS1	VG	EX	VG	SLI	63	12.5	0	6.28-	.31-3	3.83	-50.00	2,750.00	5500
HRD	0.910	L	VVS2	VG	G	EX	NIL	60	0	0	6.24-	.26-3	3.85	-42.00	1,508.00	2600
ROUNDS (0.70 - 0.89)																
GIA	0.700	D	VVS1	VG	EX	EX	NON	0	0	0	5.52-	.56-3	3.57	-45.00	3,190.00	5800
GIA	0.700	D	VVS1	EX	EX	EX	NON	58	0	0	5.66-	.69-3	3.53	-40.00	3,480.00	5800
GIA	0.700	E	VVS1	EX	EX	EX	NON	57	0	0	5.66-	.68-3	3.54	-40.00	3,240.00	5400
GIA	0.740	G	VS2	VG	EX	EX	NON	57	0	0	5.80-	.81-3	3.64	-40.00	1,860.00	3100
HRD	0.830	I	IF	EX	EX	VG	NIL	57	15.5	43.5	5.96-	.98	3.75	-21.70	2,584.00	3300
IGI	0.700	I	VVS1	VG	VG	G	MED	59	0	0	5.68-	.79-3	3.51	-50.00	1,500.00	3000
HRD	0.890	I	VS1	EX	EX	EX	NIL	61	0	0	6.30-	.33-3	3.76	-30.25	1,813.50	2600
GIA	0.890	J	VS1	EX	EX	EX	NON	61	12.5	44.5	6.31-	.33-3	3.76	-30.00	1,540.00	2200
ROUNDS (0.60 - 0.69)																
HRD	0.610	E	VS1	EX	EX	EX	MED	58	0	0	5.48-	.49-3	3.35	-50.00	1,500.00	3000
ROUNDS (0.50 - 0.59)																
IGI	0.500	D	VVS1	VG	VG	VG	NON	59	0	0	5.05-	.11-3	3.14	-50.00	2,200.00	4400
HRD	0.560	E	IF	VG	VG	VG	NIL	64	11.5	43.5	5.39	5.41	3.16	-50.00	2,200.00	4400
IGI	0.500	E	VVS1	EX	EX	VG	NON	61	13.5	0	5.12-	.17-3	3.11	-50.00	2,000.00	4000
GIA	0.500	E	SI1	VG	EX	VG	NON	57	0	0	4.94-	.99-3	3.20	-45.00	1,320.00	2400
GIA	0.520	F	VVS1	EX	EX	EX	NON	58	14	0	5.13-	.16-3	.215	-40.00	2,160.00	3600
HRD	0.520	F	VVS2	VG	VG	VG	NIL	65	12	44	5.17-	.20-3	3.11	-50.00	1,500.00	3000
GIA	0.540	G	VS1	VG	VG	VG	NON	0	0	0	5.26-	.29-3	3.17	-45.00	1,375.00	2500
GIA	0.500	G	VS2	EX	EX	EX	NON	56	0	0	5.04-	.07-3	3.14	-40.00	1,440.00	2400
CUSHION (3.00 - 3.99)																
HRD	3.010	G	VVS1	EX	EX	EX	NIL	68	0	0	7.92-	.90-5	5.37	-60.00	10,600.00	26500
CUSHION (1.50 - 1.99)																
GIA	1.760	Y	VS1	EX	G	G	STR	64	0	0	7.00-	.6-4	4.16		4,000.00	
CUSHION (1.00 - 1.49)																
GIA	1.010	FYELL	SI1	G	G	G	STR	64	0	0	5.64	5.20	3.82	-39.02	2,622.00	4300
HRD	1.010	G	VVS2	EX	VG	STR	SLI	62	0	0	5.51-	.47-3	3.81	-59.17	2,450.00	6000
GIA	1.010	H	SI1	G	G	NON	71	0	0	6.27-	.74-3	3.36	-50.00	1,850.00	3700	
CUSHION (0.90 - 0.99)																
HRD	0.930	G	VVS2	EX	VG	NIL	61	0	0	5.54-	.19-3	3.68	-60.00	1,880.00	4700	
HRD	0.900	G	VS1	EX	VG	MED	63	0	0	5.38-	.25-3	3.66	-60.00	1,760.00	4400	
GIA	0.920	H	VS1	EX	EX	NON	62	0	0	5.45-	.44-3	3.70	-60.00	1,600.00	4000	
CUSHION (0.70 - 0.89)																
GIA	0.760	G	VVS2	EX	EX	FAI	63	0	0	5.14-	.02-3	3.48	-60.00	1,360.00	3400	
EMERALDS (7.00 - 9.99)																
HRD	8.880	I	VS1	EX	EX	STR	7.2	9.5	0	11.34	1.31-	8.42	-60.00	10,200.00	25500	
EMERALDS (5.00 - 5.99)																
HRD	5.030	J	VS1	VG	VG	NIL	60	12.5	0	10.58	.02-6	6.18	-58.00	8,400.00	20000	
EMERALDS (3.00 - 3.99)																
GIA	3.210	I	VVS1	EX	EX	NON	69	0	0	9.56-	.84-4	4.94	-44.54	10,260.00	18500	
GIA	3.930	I	VVS2	VG	VG	NON	60	0	0	10.52	.90-5	5.21	-45.00	9,625.00	17500	
EMERALDS (1.00 - 1.49)																
GIA	1.010	D	VS2	EX	VG	MED	68	0	0	5.42	5.40	3.82	-41.07	3,536.00	6000	
GIA	1.020	E	VS2	EX	VG	NON	69	0	0	5.57	5.27	3.72	-38.42	3,510.00	5700	
GIA	1.010	F	SI1	VG	VG	NON	63	0	0	6.63-	.94-3	3.34	-50.00	2,150.00	4300	
HEART (2.00 - 2.99)																
GIA	2.540	D	VS2	VG	VG	STR	66	0	0	9.51	9.54	5.09	-32.19	10,850.00	16001	
GIA	2.000	H	SI1	EX	EX	NON	61	0	0	7.63-	.41-5	5.06	-47.50	5,197.50	9900	
IGI	2.270	I	SI1	VG	EX	VG	VSL	60	13.5	0	8.36-	.00-4	4.88	-60.00	3,400.00	8500
HEART (1.50 - 1.99)																
GIA	1.520	D	SI2	EX	VG	F	60	0	0	6.80-	.72-4	4.86	-60.00	2,680.00	6700	
GIA	1.510	D	SI2	EX	EX	NON	60	0	0	6.84-	.89-4	4.68	-60.00	2,680.00	6700	
HEART (1.00 - 1.49)																
HRD	1.050	E	SI1	VG	VG	SLI	62	0	0	7.07	7.36	3.08	-33.96	3,038.00	4600	
HEART (0.90 - 0.99)																
HRD	0.980	H	VS2	VG	G	NIL	60	0	0	7.13-	.13-3	3.11	-22.22	2,800.00	3600	
MARQUISE (2.00 - 2.99)																
HRD	2.120	I	SI2	VG	G	SLI	58	13.5	40	12.33	.14-4	4.14	-55.00	3,375.00	7500	
MARQUISE (1.50 - 1.99)																
HRD	1.990	H	SI2	VG	G	NIL	64	0	0	13.14	.22-4	4.30	-35.00	3,380.00	5200	
MARQUISE (1.00 - 1.49)																
HRD	1.070	D	IF	VG	G	NIL	64	13.5	48.5	10.32	5.34	3.53	-55.00	4,545.00	10100	
IGI	1.070	D	VS2	VG	VG	SLI	63	0	0	8.93-	.32-3	3.62	-40.00	3,600.00	6000	
IGI	1.020	D	VS2	VG	VG	SLI	59	0	0	10.34	.14-3	3.37	-40.00	3,600.00	6000	
HRD	1.010	E	VS1	VG	VG	MED	59	18	51.5	8.83	4.78	3.71	-40.00	3,900.00	6500	
HRD	1.190	F	IF	VG	VG	STR	0	0	0	7.16-	.28-4	4.50	-50.00	3,950.00	7900	
GIA	1.250	F	VS1	G	G	MED	60	0	0	9.24	.92-3	3.80	-35.00	3,965.00	6100	
GIA	1.090	G	VS2	G	F	NON	63	0	0	10.68	.68-2	2.96	-30.59	3,540.00	5100	
GIA	1.110	H	VS1	VG	G	NON	0	0	0	9.83-	.23-3	3.24	-30.00	3,360.00	4800	
MARQUISE (0.60 - 0.69)																
IGI	0.690	E	VS1	G	G	VSL	0	0	0	8.48-	.39-2	2.96	-21.60	1,960.00	2500	
MARQUISE (0.50 - 0.59)																
IGI	0.550	E	VS1	G	G	NON	61	12	0	10.24	.65-2	2.79	-43.70	1,407.56	2500	
OLD MINER (2.00 - 2.99)																
GIA	2.700	D	SI1	G	F	STR	52	0	0	9.66-	.12-4	4.61	-51.36	6,566.40	13500	
OVALS (7.00 - 9.99)																
IGI	7.060	B				NON	0	0	0	12.92	.13-7	7.82		500.00		
OVALS (2.00 - 2.99)																
GIA	2.130	L	VVS1	EX	EX	NON	58	0	0	10.76	.95-4	4.60	-50.00	2,650.00	5300	
OVALS (1.00 - 1.49)																
GIA	1.240	D	IF	VG	G	FAI	56	0	0	7.93-	.89-3	3.96	-31.09	6,960.00	10100	
PRINCESS (3.00 - 3.99)																
HRD	3.150	G	VVS2	VG	VG	NIL	68	11.5	60	7.983	7.71	5.89	-60.00	9,800.00	24500	
PRINCESS (2.00 - 2.99)																
HRD	2.060	H	SI1	VG	G	NIL	65	20	68	7.58-	.94-5	5.29	-60.00	3,960.00	9900	
PRINCESS (1.50 - 1.99)																
IGI	1.740	F	VVS1	EX	EX	NON	70	14.5	54	6.48	6.63	4.61	-50.00	5,750.00	11500	
HRD	1.510	H	VS1	VG	G	NON	82	0	0	6.36-	.17-4	4.52	-50.00	3,950.00	7900	
PRINCESS (1.00 - 1.49)																
HRD	1.030	F	IF	VG	G	NIL	63	13	59.5	5.53	5.53	4.08	-60.00	3,160.00	7900	
HRD	1.260	I	VS1	EX	G	SLI	69	0	0	6.00-	.58-4	4.60	-50.00	2,000.00	4000	
PEARS (3.00 - 3.99)																
HRD	3.000	D	VS1	VG	G	NIL	53	18	0	11.91	.92-5	5.52	-61.67	11,500.00	30003	
GIA	3.000	D	SI1	G	G	NON	53	0	0	11.91	.91-5	5.52	-50.00	11,500.00	23000	

	PEARS (2.00 - 2.99)															
<u>GIA</u>	2.660	G	VVS2		EX	EX	NON	0	0	0	12.27	.10-4	4.48	-25.00	11,250.00	15000
<u>IGI</u>	2.010	J	SI1	VG	VG	G	NON	55	0	0	9.86-	.15-4	4.76	-60.00	2,800.00	7000
	PEARS (1.50 - 1.99)															
<u>HRD</u>	1.700	H	VS2		VG	VG	NIL	64	0	0	9.86-	.69-4	4.31	-45.00	3,905.00	7100
	PEARS (1.00 - 1.49)															
<u>HRD</u>	1.030	E	IF			G	NIL	64	11	44	9.43	5.67	3.27	-50.00	4,300.00	8600
<u>IGI</u>	1.040	G	SI2		VG	VG	SLI	56.5	0	0	8.17-	.87-3	3.44	-57.65	1,440.00	3400
<u>IGI</u>	1.120	H	VS1	VG	VG	VG	NON	62	0	0	9.24-	.90-3	3.19	-42.71	2,750.00	4800
<u>IGI</u>	1.000	I	VS2	G	VG	VG	NON	62	0	0	7.95-	.38-3	3.62	-65.41	1,280.00	3700
	PEARS (0.90 - 0.99)															
<u>IGI</u>	0.920	I	VS2	VG	G	VG	NON	54	0	0	8.21-	.77-3	3.13	-43.75	1,800.00	3200
	PEARS (0.70 - 0.89)															
<u>IGI</u>	0.760	I	VS2	VG	VG	VG	NON	58	0	0	7.55-	.00-3	3.30	-50.00	1,150.00	2300
	RADIANT (3.00 - 3.99)															
<u>HRD</u>	3.060	I	VS1		EX	G	STR	72	14.5	69.5	8.26	7.14	6.26	-65.00	5,775.00	16500
	RADIANT (1.00 - 1.49)															
<u>HRD</u>	1.020	K	IF		VG	G	NIL	64	17	53.5	5.81	5.23	3.81	-55.43	1,560.00	3500